



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

RBE1120-31502W1-7
Job Sheet 185466



Part No: RBE1120-31502W1-7

Job Qty: 5 ea

Part Name: Bushing 2



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 10/26/18

Job Tracking No:

Due Date: 11/9/18

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: DWG RBE1120-31502W1 Rev.1 IPP Rev. A 18.10.25 New issue DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	5 Ea	11/9/18	11/9/18	0.00	0.00	Start Up Machining-2		JB 18-12-12
110	CNC Lathe	5 pcs	11/9/18	11/9/18	0.00	1.25	MORI SL-154		JB 18-12-12
120	QC	5 pcs	11/9/18	11/9/18	0.00	0.00	QC2 Machining-4		JB 18-12-12
130	QC	5 pcs	11/9/18	11/9/18	0.00	0.00	QC8 Machining-4		JB 18-12-12
150	Outsource	5 pcs	11/9/18	11/9/18	0.00	0.00	Outsource12		JB 18-12-12
160	Packaging	5 pcs	11/9/18	11/9/18	0.00	0.00	Packaging2		DEC 21 2018
170	QC	5 pcs	11/9/18	11/9/18	0.00	0.00	QC6		DEC 24 2018
180	Packaging	5 pcs	11/9/18	11/9/18	0.00	0.00	Packaging3-1		DEC 27 2018
190	QC21-SA	5 Ea	11/9/18	11/9/18	0.00	0.00	QC21		DEC 27 2018

Part Op 110 - 1-Machine as per DWG. FC FOLIO REV: DWG REV: 2-Deburr
Descriptions: 150 - -Issue P/O to GROUPE ALTECH; PO 042058 -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; O1 -Certificate of Conformity is required

GA 133

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
MT-O1-R0.750	Tool Steel Round Bar 0.750 dia.	.5500 ft (.11 ea)	90-Start up Operation	M138615

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	MT-O1-R0.750	1	22	0

Part Specifications

ould not be found.

Plex 10/26/18 1:53 PM Dart.lajeunesse.marie



Container No: S137478



Part: RBE1120-31502W1-7

Job No: 185466

Serial No/Batch: S137478

Revision: 1

Inspector:

Exp Date:

Instructions:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

DQA: _____ Date: _____





WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>				Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐																																																			
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																																																																				
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																																																																				
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																																																																				
Large Fab ☐	Composite ☐	Supplier ☐																																																																					
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval																																																																			
Description Work Order Deviation			Disposition																																																																				
			Completed By																																																																				
			Lead hand / Supervisor Approval Verification																																																																				
			QC / QA Coordinator Approval																																																																				
Root Cause <table style="width: 100%; border: none;"> <tr> <td style="border: none;">Environment ☐</td> <td style="border: none;">No Re-verification ☐</td> <td style="border: none;">Pressure/Forced ☐</td> </tr> <tr> <td style="border: none;">Design ☐</td> <td style="border: none;">Operator ☐</td> <td style="border: none;">Bending ☐</td> </tr> <tr> <td style="border: none;">Doc/Data ☐</td> <td style="border: none;">Offset/Setup ☐</td> <td style="border: none;">Centre Not Concentric ☐</td> </tr> <tr> <td style="border: none;">Equip/Tooling ☐</td> <td style="border: none;">Supplier ☐</td> <td style="border: none;">Cracks ☐</td> </tr> <tr> <td style="border: none;">Handling/Pre ☐</td> <td style="border: none;">Training ☐</td> <td style="border: none;">Crimp/Kink/Ripple/Wave ☐</td> </tr> <tr> <td style="border: none;">Material ☐</td> <td style="border: none;">Use for Testing ☐</td> <td style="border: none;">Cuffs ☐</td> </tr> <tr> <td style="border: none;">Internal Transport ☐</td> <td style="border: none;">Poor Information ☐</td> <td style="border: none;">Crushing ☐</td> </tr> <tr> <td style="border: none;">Tribal Knowledge ☐</td> <td style="border: none;">Rushing ☐</td> <td style="border: none;">Heat Treat ☐</td> </tr> <tr> <td style="border: none;">LOA ☐</td> <td style="border: none;">Product Improvement ☐</td> <td style="border: none;">Wave/Twist in Tube ☐</td> </tr> <tr> <td style="border: none;">Substation ☐</td> <td style="border: none;">Process Improvement ☐</td> <td style="border: none;">Marks/Chatter ☐</td> </tr> <tr> <td style="border: none;">Past Expiry Date ☐</td> <td style="border: none;">Manufacturing Process ☐</td> <td></td> </tr> <tr> <td style="border: none;">Misidentified ☐</td> <td style="border: none;">Past Due ☐</td> <td></td> </tr> </table>		Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Design ☐	Operator ☐	Bending ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Past Expiry Date ☐	Manufacturing Process ☐		Misidentified ☐	Past Due ☐		FAULT CATEGORY <table style="width: 100%; border: none;"> <tr> <td style="border: none;">Temperature/Cure ☐</td> <td style="border: none;">Power Loss/Surge ☐</td> <td style="border: none;">Positioned Wrong ☐</td> </tr> <tr> <td style="border: none;">Set-up ☐</td> <td style="border: none;">Folio/Program ☐</td> <td style="border: none;">Outside Dimensions ☐</td> </tr> <tr> <td style="border: none;">BOM/Route ☐</td> <td style="border: none;">Grain ☐</td> <td style="border: none;">Over/Under tolerance ☐</td> </tr> <tr> <td style="border: none;">Broken/Damage/Defect ☐</td> <td style="border: none;">Weld ☐</td> <td style="border: none;">Part Incorrect ☐</td> </tr> <tr> <td style="border: none;">Inspection Incomplete/Unqualified ☐</td> <td style="border: none;">Wrong Stock Pulled ☐</td> <td style="border: none;">Part Lost/Missing ☐</td> </tr> <tr> <td style="border: none;">Contamination ☐</td> <td style="border: none;">Out of Sequence ☐</td> <td style="border: none;">Part Moved ☐</td> </tr> <tr> <td style="border: none;">Countersink ☐</td> <td style="border: none;">Off-set ☐</td> <td style="border: none;">Drawing ☐</td> </tr> <tr> <td style="border: none;">Cut Too Short ☐</td> <td style="border: none;">Mislabeled ☐</td> <td style="border: none;">Finish ☐</td> </tr> <tr> <td style="border: none;">Instructions Incomplete/Unclear ☐</td> <td style="border: none;">Fit/Function ☐</td> <td style="border: none;">Misread ☐</td> </tr> <tr> <td style="border: none;">Drill Holes ☐</td> <td style="border: none;">Misaligned/off center ☐</td> <td style="border: none;">Turning Sequence ☐</td> </tr> </table>				Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Countersink ☐	Off-set ☐	Drawing ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Environment ☐	No Re-verification ☐	Pressure/Forced ☐																																																																					
Design ☐	Operator ☐	Bending ☐																																																																					
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐																																																																					
Equip/Tooling ☐	Supplier ☐	Cracks ☐																																																																					
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐																																																																					
Material ☐	Use for Testing ☐	Cuffs ☐																																																																					
Internal Transport ☐	Poor Information ☐	Crushing ☐																																																																					
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐																																																																					
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐																																																																					
Substation ☐	Process Improvement ☐	Marks/Chatter ☐																																																																					
Past Expiry Date ☐	Manufacturing Process ☐																																																																						
Misidentified ☐	Past Due ☐																																																																						
Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐																																																																					
Set-up ☐	Folio/Program ☐	Outside Dimensions ☐																																																																					
BOM/Route ☐	Grain ☐	Over/Under tolerance ☐																																																																					
Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐																																																																					
Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐																																																																					
Contamination ☐	Out of Sequence ☐	Part Moved ☐																																																																					
Countersink ☐	Off-set ☐	Drawing ☐																																																																					
Cut Too Short ☐	Mislabeled ☐	Finish ☐																																																																					
Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐																																																																					
Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐																																																																					
OTHER : _____																																																																							

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.



SECTION E-E

BUSHING 2

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 185466 MW
181020

DART AEROSPACE	
TITLE PRESS IN/PUSH OUT DEVICE	
DWG NO. RBE1120-31502W1-7	REV 1
MATL. 01 HEAT TREAT FINISH BLACK OXIDE SPEC QMSI-6.2.2, B.O. REV D	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125✓	
DRAWN BY: <i>[Signature]</i> CHECKED: <i>[Signature]</i> OPPTS APPR: QA APPR: <i>[Signature]</i> APPROVED: <i>[Signature]</i>	
1. BREAK ALL SHARP EDGES .015 X 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
USED ON MODEL EC145, EC645	
SCALE 3:2	DATE 09/12/2016
SHEET 5 OF 6	

11-11-11

11-11-11

11-11-11



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO042058**

Supplier: GRO002-VC
Group Altech
2455 Halpern
St Laurent
QC
H4S 1N9 Canada
Phone: 514-335-3666
Fax: 514-335-3868

PO No: PO042058
PO Date: 12/17/18
Due Date: 12/21/18
Purchase Order
Revision:
Revision Date:
Ship-To Contact: Phone:

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground
Pynt Terms: Net 60
Freight Terms:
Special Comments:

Items

Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	185466	RBE1120-31502W1-7	Bushing 2 -Issue P/O to GROUPE ALTECH; PO _____ -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; O1 -Certificate of Conformity is required	Firmed	-	12/21/18	6 pcs	0 pcs	6 pcs	\$6.66667/pcs	\$40.00
2	185465	RBE1120-31502W1-5	Bushing 1 -Issue P/O to GROUPE ALTECH; PO _____ -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; O1 -Certificate of Conformity is required	Firmed	-	12/21/18	8 pcs	0 pcs	8 pcs	\$6.66666670/pcs	\$53.33



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO042058**

Items											
Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
3	185111	RBE117-68021W1	Socket Wrench -Issue P/O to GROUPE ALTECH; PO _____ -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; 4140 -Certificate of Conformity is required	Firmed	-	12/21/18	4 pcs	0 pcs	4 pcs	\$6.66667/pcs	\$26.67
Grand Total:											\$120.00

Order Notes

Procurement Quality Clauses
 A005 right of entry
 A012 chemical and physical test report
 A016 personnel qualification
 A017 raw material identification (as applicable)

A022 Apical Processing
 A024 process certifications
 A026 certification of material conformance

A041 quality management system
 A042 dart notification by supplier
 A043 retension of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 12/17/18 1:17 PM dart.tsimiklis.chrisoula



Certificat de Conformité / Certificate of Compliance

(015457-1)

2455, Rue Halpern | Saint-Laurent | Québec | H4S 1N9
 Tel: 514-335-3666 Fax: 514-335-3868
 www.groupaltech.com

Bon de Livraison / Packing Slip

015457 - 1

Livré à / Ship to

DART AEROSPACE LTD
 1270 ABERDEEN STREET
 HAWKESBURY, ON, K6A1K7
 CANADA
 Tel.: 613-632-5200 Fax.:

Client / Customer:

DART AEROSPACE LTD
 1270 ABERDEEN STREET
 HAWKESBURY, ON, K6A1K7
 CANADA
 BUYER:

Date expédition Ship date		Créé Par Generated By	Transport / No de Compte Courier / Acc. No.		Bon de commande Client Customer Purchase Order No.				
20-Dec-2018		Aman			042058				
#Ligne Line#	No. de Série / # Pièce Part Number /Line Item Details Job # / Ref #	Description pièce(s)	CATG. U/M	Comm. /Ordered	Exp/ Shipped	Qté NC/ NC Qty	Qté Scrap/	À venir/ Back Order	
1	RBE1120-31502W1-7 Rev.	RBE1120-31502W1-7 01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS1 APPLY THIN LAYER OF OIL MIL-PRF-16173 GRADE 3 CLASS 1 WIPE OFF EXCESS OIL	OXIDE-BLACK CH	6	6	0	0	0	
2	RBE1120-31502W1-5 Rev.	RBE1120-31502W1-5 01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS1 APPLY THIN LAYER OF OIL MIL-PRF-16173 GRADE 3 CLASS 1 WIPE OFF EXCESS OIL	OXIDE-BLACK CH	8	8	0	0	0	
3	RBE117-68021W1 Rev.	RBE117-68021W1 01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS1 APPLY THIN LAYER OF OIL MIL-PRF-16173 GRADE 3 CLASS 1 WIPE OFF EXCESS OIL	OXIDE-BLACK CH	4	4	0	0	0	

Notes Additionnelles / Additional Notes

Epaisseur réelle
Actual Thickness

Inspecteur Qualité
Quality Inspector

Réçu par
Received By

Nous certifions que les pièces énumérées ci-dessus ont été traitées en conformité avec votre commande et vos spécifications et rencontrent les exigences.
 Notre responsabilité financière et légale ne sera pas supérieure au montant de la facture issue.

We hereby certify that the parts listed above have been process in accordance with your purchase order and specifications and are in conformance with your requirements.
 Our financial and legal responsibility will not be higher than the amount of invoice.

DAS
 68
 9-89

